MFC501

Replaces date: 3/4/2021 Revision date: 1/24/2022

Version: 1.2.0

SECTION 1: Identification

1.1. GHS Product identifier

Trade name: MFC501

Article no

Article no	Description
003481000009	

1.2. Recomended use of the chemical and restrictions on use

Recommended uses: Cleaning agent

1.3. Supplier's details

Supplier

Company: Mouldpro ApS
Address: Baltorpbakken 10

Zip code: 2750
City: Ballerup
Country: DENMARK

E-mail: sales@mouldpro.com
Phone: +45 70 20 31 31
Homepage: www.mouldpro.com

1.4. Emergency phone Number

+ 45 70 20 31 31 (Mouldpro) The emergency telephone is open between 8 a.m. and 4 p.m. on workdays.

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification: Aerosols, Category 1;H222

Aerosols, Category 1;H229

Skin sensitization, Category 1;H317 Eye irritation, Category 2/2A;H319

Hazardous to the aquatic environment, short-term (Acute), Category 3;H402 Hazardous to the aquatic environment, long-term (Chronic), Category 3;H412

Most serious harmful effects: Extremely flammable aerosol. Pressurised container: May burst if heated. May cause an

allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Prolonged or repeated exposure by skin contact or inhalation of vapors may cause damage to the central nervous system. The product releases vapors which may cause drowsiness and dizziness. At high concentrations, the vapors may cause headache and intoxication. Inhalation of spray mist from the product

may cause chemical pneumonia.

MFC501

Replaces date: 3/4/2021 Revision date: 1/24/2022

Version: 1.2.0

2.2. GHS label elements, including precautionary statements

Pictograms



Signal word: Danger

Contains

Substance: Orange, sweet, ext.;

Hazard Statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.
H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.
P280 Wear protective gloves/protective clothing.

P410+412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F.

P501 Dispose of contents/container in accordance with local regulation.

2.3. Other hazards which do not result in classification

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes
Petroleum gases, liquefied (with <0,1% 1,3-Butadiene)	68476-85-7 270-704-2	10 -< 30 %	
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	64742-48-9 919-857-5	1 -< 5 %	3
Orange, sweet, ext.	8028-48-6 232-433-8	1 -< 5 %	3
2-butoxyethanol	111-76-2 203-905-0 01-2119475108-36	1 -< 5 %	
Alcohols, C9-11, ethoxylated	68439-46-3 614-482-0	1 -< 5 %	
propan-2-ol	67-63-0 200-661-7 01-2119457558-25	< 1 %	
2-aminoethanol	141-43-5 205-483-3 01-2119486455-28	< 1 %	

MFC501

Replaces date: 3/4/2021 Revision date: 1/24/2022

Version: 1.2.0

1336-21-6 ammonia % 215-647-6 01-2119488876-14	< 1 %		
--	-------	--	--

^{3 =} H304 is not applicable due to use as aerosols

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Seek medical advice in case of persistent discomfort.

Wash skin with soap and water.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice.

Burns: Flush with water until pain ceases. Remove clothing that is not stuck to the skin - seek

medical advice/transport to hospital. If possible, continue flushing until medical attention is

obtained.

General: Bring the safety data sheet or label when seeking medical advice.

4.2. Most important symptoms/effects, acute and delayed

Irritates mucous membranes in mouth and gastrointestinal tract. Irritating to eyes. Causes a burning sensation and tearing. The product releases organic solvent vapors which may cause drowsiness and dizziness. At high concentrations, the vapors may cause headache and intoxication. Can be absorbed through the skin causing symptoms such as dizziness and headache. May irritate the skin - may cause reddening. May cause sensitization by skin contact. Symptoms include reddening, swelling, blistering and ulceration - often slowly developing. Inhalation of spray mist may cause chemical pneumonia. Can be absorbed through the skin with the same symptoms as if inhaled. Prolonged or repeated exposure by skin contact or inhalation of vapors may cause damage to the central nervous system.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptoms. No special immediate treatment required.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock.

Unsuitable extinguishing

media:

Do not use a jet of water, as it may spread the fire.

5.2. Specific hazards arising from the chemical

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released. Heating will cause a rise in pressure in packaging with a risk of bursting. CAUTION! Aerosol containers may explode.

5.3. Special protective actions for fire-fighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapor and smoke gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Replaces date: 3/4/2021 Revision date: 1/24/2022

Version: 1.2.0

Stay upwind/keep distance from source. Take precautionary measures against static For non-emergency personnel:

discharges. Use spark-free tools and explosion proof equipment. Provide adequate

ventilation. Smoking and naked flames prohibited.

For emergency responders: In addition to the above: Protective suit is recommended.

6.2. Environmental precautions

Avoid unnecessary release to the environment.

6.3. Methods and materials for containment and cleaning up

Wipe up drops and splashes with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Work under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, drugs, etc. Do not store with the following: Oxidisers. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Store in a dry, cool, well-ventilated area. Avoid direct sunlight.

7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: There are no official GHS occupational exposure limits. Be aware of possible national

occupational exposure limits.

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational

hygiene measurements.

8.2. Exposure controls

Appropriate engineering

controls:

Wear the personal protective equipment specified below.

Personal protective equipment, Wear safety goggles.

eye/face protection:

hand protection:

Personal protective equipment. Wear gloves. Type of material: Butyl rubber. Breakthrough time has not been determined for the product. Change gloves often. The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality

and chemical resistance. Always seek advice from the glove supplier.

respiratory protection:

Personal protective equipment, Light use (small volume, shortterm contact (below 10 min.)): Not required. Medium use (medium volume, medium contact (1-2 hours)): Filter type: A.

Environmental exposure

controls:

Ensure compliance with local regulations for emissions.

MFC501

Replaces date: 3/4/2021 Revision date: 1/24/2022

Version: 1.2.0

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
Physical state	Aerosol
Color	No data
Odour	No data
Solubility	No data

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Boiling point or initial boiling point and boiling range	-402 °C	(LPG)
Flammability	No data	
Lower and upper flammability limit	1.4 - 10.9 vol%	(LPG)
Lower and upper explosion limit	No data	
Flash Point	-104 °C	(LPG)
Auto-ignition temperature	365 °C	(LPG)
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octanol/water (log value)	No data	
Vapour pressure	590 - 1760 kPa	(LPG)
Density	No data	
Relative density	No data	
Relative vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product may ignite on contact with e.g. heat or a spark. Reacts with the following: Oxidisers.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

Product vapors are heavier than air and may spread along floors. Vapors may form explosive mixtures with air.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources. Avoid direct sunlight. Avoid temperatures >50°C.

10.5. Incompatible materials

Ovidisers

MFC501

Replaces date: 3/4/2021 Revision date: 1/24/2022

Version: 1.2.0

10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

SECTION 11: Toxicological information

11.1. Information on health hazard classes

Acute toxicity - oral

MFC501

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
	ATE		54165.23 mg/kg			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met. Spray mist in mouth may irritate mucous membranes in mouth and throat.

Acute toxicity - dermal

MFC501

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
	ATE		8427.4 mg/kg			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation

MFC501

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
	ATE (vapours)		8427.0 mg/l			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation: The product does not have to be classified. Test data are not available. May irritate the skin

- may cause reddening.

Serious eye damage/eye

irritation:

Irritating to eyes. Causes a burning sensation and tearing.

Respiratory sensitization or

skin sensitization:

May cause sensitization by skin contact. Symptoms include reddening, swelling, blistering

and ulceration - often slowly developing.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

Single STOT exposure: The product does not have to be classified. Test data are not available. Inhalation of spray

mist is irritating to the upper airways. Irritates mucous membranes in mouth and gastrointestinal tract. The product releases organic solvent vapors which may cause drowsiness and dizziness. At high concentrations, the vapors may cause headache and intoxication. Can be absorbed through the skin causing symptoms such as dizziness and

headache.

Repeated STOT exposure: The product does not have to be classified. Test data are not available. Prolonged or

repeated exposure by skin contact or inhalation of vapors may cause damage to the

central nervous system.

Aspiration hazard: The product does not have to be classified. Test data are not available. Inhalation of spray

mist may cause chemical pneumonia.

Replaces date: 3/4/2021 Revision date: 1/24/2022

Version: 1.2.0

11.2. Information on other hazards

Endocrine disrupting properties:

None known.

Other toxicological effects:

None known.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Disposal methods

Avoid unnecessary release to the environment. Do not dispose of aerosol sprays in refuse collection, even when empty. The sprays must be sent to the municipal chemical waste collection facility.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: 1950 14.4. Packing group, if

applicable:

14.5. Environmental 14.2. UN proper shipping **AEROSOLS**

hazards:

The product should not be labelled as an

environmental hazard

(symbol: fish and tree).

14.3. Transport hazard 2.1

class(es):

name:

Hazard label(s): 2.1

Hazard identification number: **Tunnel restriction code:** D

Inland water ways transport (ADN)

14.1. UN number: 1950 14.4. Packing group, if

applicable:

Replaces date: 3/4/2021 Revision date: 1/24/2022

Version: 1.2.0

14.2. UN proper shipping

AEROSOLS

14.5. Environmental

hazards: labelled as an

The product should not be

environmental hazard (symbol: fish and tree).

14.3. Transport hazard

class(es):

2.1

Hazard label(s): 2.1 Transport in tank vessels:

Sea transport (IMDG)

14.1. UN number:

1950

14.4. Packing group, if

applicable:

hazards:

14.2. UN proper shipping

EmS:

AEROSOLS

14.5. Environmental

The product is not a Marine

14.3. Transport hazard

class(es):

21

Environmental Hazardous Substance Name(s):

Pollutant (MP).

Hazard label(s):

2.1 F-D, S-U

- None -

IMDG Code segregation group:

Air transport (ICAO-TI / IATA-DGR)

14.1. UN number:

2.1

14.4. Packing group, if

applicable:

14.2. UN proper shipping

name:

AEROSOLS, FLAMMABLE

14.5. Environmental hazards.

labelled as an

environmental hazard

The product should not be

(symbol: fish and tree).

14.3. Transport hazard

class(es):

Hazard label(s): 2.1

14.6. Special precautions for user

None.

14.7. Transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Special Provisions: None.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
1.2.0	1/24/2022	Bureau Veritas HSE - DOL	3,9,11,12,16
1.1.0	3/4/2021	Bureau Veritas HSE - DOL	2,3,8,9,11,15,16

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

STOT: Specific Target Organ Toxicity

vPvB: Very Persistent and Very Bioaccumulative

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

MFC501

Replaces date: 3/4/2021 Revision date: 1/24/2022

Version: 1.2.0

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on

preparation of safety data sheets in accordance with GHS Rev. 7 (2017).

A thorough knowledge of this safety data sheet should be a prerequisite condition. Training advice:

Classification method: Calculation based on the hazards of the known components. Test data.

SDS is prepared by

Bureau Veritas HSE Denmark A/S Company:

Address: Oldenborggade 25-31

7000 Zip code: City: Fredericia Country: **DENMARK**

E-mail: infohse@dk.bureauveritas.com

+45 77 31 10 00 Phone: www.bureauveritas.dk Homepage:

UN Country: