	Safety Data Sheet	
	577	
Replaces date: 1/24/2022		Revision date: 8/25/2023 Version: 1.3.0
SECTION 1: Identifica	tion	
1.1. GHS Product identit	lier	
Trade name:	577	
1.2. Recomended use of	the chemical and restrictions on use	
Recommended uses:	Sealing agent. Glue/adhesive	
1.3. Supplier's details		
Supplier		

Supplier	
Company:	Mouldpro ApS
Address:	Baltorpbakken 10
Zip code:	2750
City:	Ballerup
Country:	DENMARK
E-mail:	sales@mouldpro.com
Phone:	+45 70 20 31 31
Homepage:	www.mouldpro.com

1.4. Emergency phone Number

+ 45 70 20 31 31 (Mouldpro) The emergency telephone is open between 8 a.m. and 4 p.m. on workdays.

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture


GHS classification:	Skin irritation, Category 2;H315 Skin sensitization, Category 1A;H317 Eye irritation, Category 2/2A;H319 Specific target organ toxicity - single exposure, Category 3;H335 Hazardous to the aquatic environment, short-term (Acute), Category 2;H401 Hazardous to the aquatic environment, long-term (Chronic), Category 2;H411
Most serious harmful effects:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

577

Replaces date: 1/24/2022

2.2. GHS label elements, including precautionary statements

Pictograms



2.3. Other hazards which do not result in classification

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes
2-carboxyethyl acrylate	24615-84-7 246-359-9	1 - 10 %	
Dodecyl methacrylate	142-90-5 205-570-6	1 - 10 %	
1,2-benzisothiazol-3(2H)-one 1,1-dioxide	81-07-2	1 - 10 %	
α,α-dimethylbenzyl hydroperoxide	80-15-9 201-254-7	< 1 %	
1-Acetyl-2-Phenylhydrazine	114-83-0	< 1 %	
N,N-dimethyl-p-toluidine	99-97-8 202-805-4	< 1 %	
mequinol	150-76-5 205-769-8	< 1 %	

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

Inhalation:

Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of persistent discomfort.

Copyright © 1995 - 2023 DGOffice B.V., www.DGOffice.net

Revision date: 8/25/2023 Version: 1.3.0

577

Replaces date: 1/24/2022

Revision date: 8/25/2023 Version: 1.3.0

Skin contact:	Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in case of persistent discomfort.
Eye contact:	Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.
Burns:	Flush with water until pain ceases. Remove clothing that is not stuck to the skin - seek medical advice/transport to hospital. If possible, continue flushing until medical attention is obtained.
General:	Bring the safety data sheet or label when seeking medical advice.

4.2. Most important symptoms/effects, acute and delayed

Inhalation of vapors is irritating to the upper airways. Irritating to eyes. Causes a burning sensation and tearing. Irritating to skin - may cause reddening. May cause sensitization by skin contact. Symptoms include reddening, swelling, blistering and ulceration - often slowly developing.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptoms. No special immediate treatment required.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media:	Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited stock.
Unsuitable extinguishing media:	Do not use a jet of water, as it may spread the fire.

5.2. Specific hazards arising from the chemical

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

5.3. Special protective actions for fire-fighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapor and smoke gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Stop leak if this can be done without risk. Wear safety goggles if there is a risk of eye splash. Wear gloves.

For emergency responders: In addition to the above: Protective suit is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and materials for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers. Wipe up minor spills with a damp cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

577

Replaces date: 1/24/2022

Revision date: 8/25/2023 Version: 1.3.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, drugs, etc. Do not expose to heat (e.g. sunlight). Keep in tightly closed original packaging. Store in a cool, dry place. Do not store with the following: Strong oxidizers/ Strong acids.

7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit:	There are no official GHS occupational exposure limits. Be aware of possible national occupational exposure limits.
8.2. Exposure controls	
Appropriate engineering controls:	Wear the personal protective equipment specified below.
Personal protective equipment, eye/face protection:	Wear safety goggles if there is a risk of eye splash.
Personal protective equipment, hand protection:	Wear gloves. Type of material: Rubber. Breakthrough time has not been determined for the product. Change gloves often.
Personal protective equipment, respiratory protection:	Not required.
Environmental exposure controls:	Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit		
Physical state	Paste		
Color	Yellow		
Odour	Characteristic		
Solubility	Partly soluble in the following: Water. Soluble in the following: Organic solvents.		

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Boiling point or initial boiling point and boiling range	> 35 °C	
Flammability	No data	
Lower and upper flammability limit	No data	
Lower and upper explosion limit	No data	

Safety Data Sheet				
	577			
Replaces date: 1/24/2022			Revision date: 8/25/2023 Version: 1.3.0	
Flash Point	> 93 °C			
Auto-ignition temperature	No data			
Decomposition temperature	No data			
pH (solution for use)	No data			
pH (concentrate)	No data			
Kinematic viscosity	~90000	(25 °C)		
Viscosity	No data			
Partition coefficient n-octanol/water (log value)	No data			
Vapour pressure	No data			
Density	No data			
Relative density	1.10			
Relative vapour density	No data			
Relative density (sat. air)	No data			
Particle characteristics	No data			

9.2. Other information

Parameter	Value/unit	Remarks

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Strong oxidizers/ Strong acids.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight).

10.5. Incompatible materials

Strong oxidizers/ Strong acids.

10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

SECTION 11: Toxicological information

11.1. Information on health hazard classes

Acute toxicity - oral

α,α-dimethylbenzyl hydroperoxide, cas-no 80-15-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse	LDLO		5 mg/kg			
Rat	LD50		382 mg/kg			

mequinol, cas-no 150-76-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		1600 mg/kg			
		5005				- / 0

Copyright © 1995 - 2023 DGOffice B.V., www.DGOffice.net

577

Replaces date: 1/24/2022

Revision date: 8/25/2023 Version: 1.3.0

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met. Ingestion may cause discomfort.

Acute toxicity - dermal

α,α-dimethylbenzyl hydroperoxide, cas-no 80-15-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		382 mg/kg			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation

Dodecyl methacrylate, cas-no 142-90-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse	LD50		25 mg/kg			
Rat	LD50		12 mg/kg			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation:	Irritating to skin - may cause reddening.			
Serious eye damage/eye irritation:	Irritating to eyes. Causes a burning sensation and tearing.			
Respiratory sensitization or skin sensitization:	May cause sensitization by skin contact. Symptoms include reddening, swelling, blistering and ulceration - often slowly developing.			
Germ cell mutagenicity:	The product does not have to be classified. Test data are not available.			
Carcinogenic properties:	The product does not have to be classified. Test data are not available.			
Reproductive toxicity:	The product does not have to be classified. Test data are not available.			
Single STOT exposure:	Inhalation of vapors is irritating to the upper airways.			
Repeated STOT exposure:	The product does not have to be classified. Test data are not available.			
Aspiration hazard:	The product does not have to be classified. Test data are not available.			
11.2. Information on other hazards				
Endocrine disrupting properties:	None known.			

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Non-biodegradable.

12.3. Bioaccumulative potential

The product is potentially bioaccumulative.

12.4. Mobility in soil

577

Replaces date: 1/24/2022

Not expected to be mobile in soil.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Disposal methods

Avoid discharge to drain or surface water. Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	3077	14.4. Packing group, if applicable:	III
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dodecyl methacrylate)	14.5. Environmental hazards:	The product must be labelled as an environmental hazard (symbol: fish and tree) in packaging sizes of more than 5 kg/l.
14.3. Transport hazard class(es):	9		
Hazard label(s):	9		
Hazard identification number:	90	Tunnel restriction code:	-
Inland water ways transport	(ADN)		
14.1. UN number:	3077	14.4. Packing group, if applicable:	III
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dodecyl methacrylate)	14.5. Environmental hazards:	The product must be labelled as an environmental hazard (symbol: fish and tree) in packaging sizes of more than 5 kg/l.
14.3. Transport hazard class(es):	9		
Hazard label(s):	9		
Transport in tank vessels:			
Sea transport (IMDG)			
14.1. UN number:	3077	14.4. Packing group, if applicable:	III
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,	14.5. Environmental hazards:	The product must be labelled as a Marine Pollutant (MP) in packagin
	SOLID, N.O.S. (Dodecyl methacrylate)		sizes of more than 5 kg/l.

Revision date: 8/25/2023 Version: 1.3.0

577 Safety Data Sheet					
14.3. Transport hazard class(es):	9	Environmental Hazardous Substance Name(s):			
Hazard label(s):	9				
EmS:	F-A, S-F	IMDG Code segregation group:	- None -		
Air transport (ICAO-TI / IA	TA-DGR)				
14.1. UN number:	3077	14.4. Packing group, if applicable:	III		
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dodecyl methacrylate)	14.5. Environmental hazards:	The product must be labelled as an environmental hazard (symbol: fish and tree) in packaging sizes of more than 5 kg/l.		
14.3. Transport hazard class(es):	9				
Hazard label(s):	9				
14.6. Special precautions	for user				

None.

14.7. Transport in bulk according to IMO instruments

Not included.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Special Provisions: None.

15.2. Chemical Safety Assessment

Other Information:

Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes		
1.3.0	8/25/2023	Bureau Veritas HSE / DOL	2,16		
Abbreviations:	PBT: Persistent, Bioaccumulative and Toxic STOT: Specific Target Organ Toxicity vPvB: Very Persistent and Very Bioaccumulative				
Other Information:	This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with GHS Rev. 9 (2021).				
Training advice:	A thorough knowledge of this safety data sheet should be a prerequisite condition.				
Classification method:	Calculation based on the haz	zards of the known components.			
SDS is prepared by					

577

Replaces date: 1/24/2022

Company:

Address: Zip code: City: Country: E-mail: Phone: Homepage: Bureau Veritas HSE Denmark A/S Oldenborggade 25-31 7000 Fredericia DENMARK infohse@bureauveritas.com +45 77 31 10 00 www.bureauveritas.dk

Country:

UN

Revision date: 8/25/2023 Version: 1.3.0